BIRDWATCHING AROUND AUGUSTA & MARGARET RIVER

Augusta Margaret Shire provides opportunities for impressive coastal scenery and walks through Karri / Jarrah forests with a wide range of birdlife, including 11 species endemic to WA. The world-renowned Cape to Cape Track is accessible from many points and offers access to beaches, cliffs and dune vegetation, as well as areas of forest, much of it within Leeuwin Naturaliste National Park. Wineries, local food and caves offer alternative pursuits.





Supported by Shire of Augusta - Margaret River www.amrshire.wa.gov.au Phone: 9780 5255



Local contact Cape to Cape Bird Group (Christine 0427 312 848)

Margaret River Visitor Centre 100 Bussell Hwy Ph: 9780 5911 Email: welcome@margaretriver.com Website: www.margaretriver.com

Augusta Visitor Centre Cnr Ellis St & Blackwood Ave Ph: 9758 0166 Email: augusta@margaretriver.com

Acknowledgements: Illustrations by Susan Tingay

Guide No 23AB: Revised May 2015. All content is subject to copyright ©. Queries to BirdLife Western Australia.


BirdLife Western Australia members are offered a variety of activities and services including conservation and research projects, excursions, campouts, surveys and social activities. There is also a library and books for sale at the office. To view the full range of bird quides visit the website.

Australia's voice for birds since 1901

BirdLife Australia is dedicated to achieving outstanding conservation results for our native birds and their habitats. With our specialised knowledge and the commitment of an Australia-wide network of volunteers and supporters, we are creating a bright future for Australia's birds.

birdlife.org.au

BirdLife Western Australia 167 Perry Lakes Drive, Floreat WA 6014 T 08 9383 7749 | wa@birdlife.org.au



Birdwatching Around Augusta & Margaret River





A Rotary Park

Near the bridge at the northern end of Margaret River township is a shaded walk along the river to the main weir on the eastern side of town. Underneath the bridge, on the opposite side of the road, you will find a series of walk trails. Look for Western Rosella, Redcapped Parrot, Splendid and Red-winged Fairy-wren, White-breasted Robin, Western Golden Whistler and other bush birds. Crested Shrike-tit has been seen here and there are wildflowers in spring.

The Rail Trail walk to Cowaramup is another walk option. It follows part of the old railway line which once connected Busselton and Augusta.

B Ten Mile Brook Dam

This picnic site is part of Bramley National Park and can be reached by a walk trail from Rotary Park in Margaret River (approx 15km return) or by driving just south of town and turning left into Rosa Brook Road. After 2.5 km look for the signpost on the left to the dam. Follow the gravel road to the car park. There are several tracks to the river and the dam. Look for Western Rosella, Western Spinebill, White-breasted Robin and many other species.

C Canebrake Picnic Area

A picnic and swimming area on the Margaret River. Follow Osmington Road, crossing Jindong-Treeton Road until Canebrake Road (gravel road) is on the left (approx. 16 km). Travel approximately 6 km north to the picnic area turnoff on the right. The surrounding bush and tracks are worth exploring for Red-winged Fairy-wren, Red-eared Firetail and three species of black cockatoo.



D Gracetown, Cowaramup Bay

Take Cowaramup Bay Road (see sign just south of Cowaramup) to a sandy beach near the township of Gracetown. Hooded Plover are quite often seen here. On the opposite side of the road to the beach car park is a culvert and entry to a walk from Grace Bussell Memorial Park (sign may be hidden). Follow the path along the Cowaramup Brook and up the low gradient hill under shady Peppermints. Further along there are Karris alongside the brook. This is an opportunity to see many birds at close range including Brush Bronzewing, Grey Fantail, Red-eared Firetail, Red-winged Fairy-wren, Western Golden Whistler and sometimes Red-tailed Black-Cockatoo and Baudin's Black-Cockatoo. In the bushes near the bridge Southern Emu-wren can usually be seen.

E Ellensbrook Homestead

This is a lovely picnic spot, worth a visit for birds such as Red-eared Firetail and White-breasted Robin. The Meekadarribee Walk beyond the house is also well worthwhile. Travel Ellen Brook Road from Caves Road to the Homestead.

F Redgate Beach

Follow Redgate Road to the beach. Australasian Gannet, Eastern Reef Egret, Eastern Osprey and Hooded Plover are worth looking for. In the vegetation near the beach look for Southern Emu-wren, Rock Parrot, Australian Hobby, Nankeen Kestrel and Baudin's and Carnaby's Black-Cockatoos (not on every visit).

G Mammoth Cave

Look for the signpost on the left of Caves Road several kilometres south of Redgate Road. There are tall Karri trees and understorey. Around the parking area and along the track beside the power-lines look for Purplecrowned Lorikeet, Sacred Kingfisher, Scarlet Robin and many other species. Crested Shrike-tit has been seen in the car park.

H Boranup Scenic Drive

Look for the sign on Caves Road, south of the Lake Cave tearooms. Drive or walk through Boranup Karri forest to see Rufous Treecreeper, Splendid and Redwinged Fairy-wrens, White-breasted Robin, Crested Shrike-tit, Grey Currawong and many other species.

I Hamelin Bay & Cosy Corner

Hamelin Bay car park is 38 km south of Margaret River and a short drive off Caves Road. Walk to the freshwater lake near the caravan park for waterbirds. Visit the beach for possible sightings of Hooded Plover and Rock Parrot and Southern Emu-wren in dune vegetation.

Cosy Corner is a short distance south of Hamelin Bay, again off Caves Rd. Bridled Terns may be seen flying around off-shore islets in summer. Hooded Plover and Rock Parrot are also possible on the beach here.

J Jewel Cave

Further south on the right off Caves Road is the turnoff to Jewel Cave. Walk the Karri Walk for White-breasted Robin, Western Rosella and Spotted Pardalote. Cockatoos are often seen in the area around the cave.

K Augusta

Hardy Inlet and the Blackwood River are excellent for boating and canoeing. Look for migratory waders (November to March) when the tide is low. Many other bird species found including Eastern Reef Egret, Caspian Tern, Australasian Darter and Sooty Oystercatchers. You may be very lucky to see a Black Bittern along the Blackwood River.

L Donovan St Reserve

This 83ha site on the shores of Hardy Inlet is close to, and easily accessed from, the northern end of the township of Augusta via Donovan St, then left into Blackwood Ave and right into Pelican Rise. Park at the end. There is a pleasant walk into town to the right, but walk left for the reserve. A range of habitats includes riparian vegetation, low heath in shallow soils on granite outcrops, Marri/Jarrah woodland and damper understorey areas. Look for White-naped Honeyeater, Spotted Pardalote, White-browed Scrubwren, Redwinged Fairy-wren, Western Golden Whistler & Grey Shrike-thrush. A variety of waterbirds can be found along the river margins.



M Cape Leeuwin

Take a drive from Augusta to Cape Leeuwin to visit the lighthouse and old waterwheel. This area is a favourite haunt of the Rock Parrot, sometimes feeding on the grass in front of the café.

Cape Leeuwin is an excellent place to go sea birding in winter. Southern and Northern Giant-Petrel, Cape and Great-winged Petrel, Black-browed, Shy and Indian Yellow-nosed Albatross, Wilson's Storm-Petrel and Australasian Gannet have all been sighted here. The new Augusta Boat Harbour, about half way between the town and Cape Leeuwin, may also offer opportunities for seabirds.

N The Islands

St Alouarn Islands approx. 7km south-east of Cape Leeuwin are reserves for breeding seabirds. Little Penguin, Flesh-footed and Little Shearwaters and Bridled and Crested Terns form colonies here.

O Alexandra Bridge

Travel 14km north of Augusta along Bussell Hwy (or 27km south of Margaret River), then east on Brockman Hwy for 11km.

This is a popular picnic, camping, canoeing area in the summer but worth a visit for White-breasted Robin, Spotted Pardalote and fairy-wrens. Along the river there should be Dusky Moorhen. Black Bittern is also a possibility.

P Chapman Pool

This is 8km from the Bussell Highway. This Blackwood River pool is within Forest Grove National Park. Look for Splendid Fairy-wren, Scarlet Robin and Southern Boobook if you camp there.

Codes							
С	Common						
М	Moderately common	Sp Su Au Wi Season/s					
Ü	Uncommon	present					
R	Rare	present					
K	Rare	OCD OH					
		OSP Other					
*Introduced		specially protected					
		for peregrine					
N	Nomadic						
T	Threatened	WA endemics are shown in					
IA	Protected by	bold					
	national agreement	20.0					
	~						
Mi	Migratory						

PENGUIN Little Penguin Breeds on islands off Cape	C Leeuwin.	CUCKOO Shining Bronze-Cuckoo Pallid Cuckoo Fan-tailed Cuckoo	M Mi Sp-Su U Mi Sp-Su M Mi Sp-Su
GANNET, BOOBY Australasian Gannet	M Most common in winter	OWL Barking Owl	Ra
CORMORANT Australasian Darter Little Pied Cormorant Great Cormorant	М С М	Southern Boobook Masked Owl Eastern Barn Owl	M U U
Little Black Cormorant Pied Cormorant	M C	KINGFISHER Laughing Kookaburra Sacred Kingfisher	C * M Mi Su
HERON, IBIS, ALLIES Australian Pelican Australasian Bittern Little Bittern	C Ra T Ra	BEE-EATER, ROLLER Rainbow Bee-eater	M IA Mi Su
Black Bittern	Ra	TREE-CREEPER	
Blackwood & Margaret Rive White-necked Heron	ers/creeks U	Rufous Treecreeper	М
Eastern Great Egret White-faced Heron Little Egret Eastern Reef Egret Nankeen Night-Heron	M IA C Ra U IA M	FAIRY-WREN, GRASSWREN Splendid Fairy-wren Red-winged Fairy-wren Southern Emu-wren	C C M
Glossy Ibis Australian White Ibis Straw-necked Ibis Yellow-billed Spoonbill Hardy Inlet, ephemeral pools	Ra IA C C U	SCRUBWREN, ALLIES White-browed Scrubwren Western Gerygone Yellow-rumped Thornbill Western Thornbill	C C C
RAPTOR		Inland Thornbill	С
Eastern Osprey Black-shouldered Kite Square-tailed Kite White-bellied Sea-Eagle M	M U N M Mi Su IA	PARDALOTE Spotted Pardalote Striated Pardalote	C C
Whistling Kite	U	HONEYEATER, CHAT	
Brown Goshawk Collared Sparrowhawk Swamp Harrier Wedge-tailed Eagle	M M M M	Western Spinebill Western Wattlebird Red Wattlebird	M U N C N
Little Eagle Nankeen Kestrel Brown Falcon	М С М М	White-fronted Chat Tawny-crowned Honeyeater Brown Honeyeater New Holland Honeyeater	M U M N C
Australian Hobby Peregrine Falcon CRAKE, RAIL, ALLIES	M OSP	White-cheeked Honeyeater Brown-headed Honeyeater White-naped Honeyeater	R R C N
Purple Swamphen Buff-banded Rail Baillon's Crake Australian Spotted Crake	M U U U	BABBLER White-browed Babbler	R
Spotless Crake Black-tailed Native-hen Dusky Moorhen Eurasian Coot	U Ra U M	QUAIL-THRUSH, ALLIES Varied Sittella	М
Rock Parrot	U		

EMU		SHOREBIRD		CUCKOO-SHRIKE, TRILLER	
Emu	С	Australian Pied Oystercatche		Black-faced Cuckoo-shrike	C
		Sooty Oystercatcher	M	White-winged Triller	U Mi Su
QUAIL, PHEASANT		Black-winged Stilt	UN		
Stubble Quail	U	Banded Stilt	UN	WHISTLER, SHRIKE-THRUSH	
Brown Quail	U	Red-necked Avocet	UN	Crested Shrike-tit	Ū
Indian Peafowl	* In gardens	Pacific Golden Plover	Ra	Western Golden Whistler	С
		Grey Plover	U T IA	Rufous Whistler	М
WATERFOWL		Red-capped Plover	C	Grey Shrike-thrush	С
Musk Duck	M	Lesser Sand Plover	U T IA		
Black Swan	M	Greater Sand Plover	U T IA	WOODSWALLOW	
Australian Shelduck	M N	Black-fronted Dotterel	M	Black-faced Woodswallow	M Mi Sp-Su
Australian Wood Duck	C	Hooded Plover	МТ	Some present all year	
Pink-eared Duck	R	Banded Lapwing	U	Dusky Woodswallow	С
Australasian Shoveler	R	Black-tailed Godwit	U IA		
Grey Teal	M N	Bar-tailed Godwit	U T IA	BUTCHERBIRD, CURRAWON	
Chestnut Teal	UN	Whimbrel	U IA	Grey Butcherbird	M
Pacific Black Duck	CN	Eastern Curlew	U T IA	Australian Magpie	C
Hardhead	M	Terek Sandpiper	U IA	Grey Currawong	M
Blue-billed Duck	U	Common Sandpiper	U IA		
		Grey-tailed Tattler	U IA	FANTAIL	
GREBE		Common Greenshank	U IA	Grey Fantail	С
Australasian Grebe	M	Marsh Sandpiper	U IA	Willie Wagtail	С
Hoary-headed Grebe	M	Wood Sandpiper	U IA		
Great-crested Grebe	U	Ruddy Turnstone	U IA	RAVEN, CROW	
		Great Knot	RTIA	Australian Raven	С
PIGEON, DOVE		Red Knot	RTIA		
Common Bronzewing	С	Sanderling	U IA	FLYCATCHER, MONARCH	
Brush Bronzewing	U	Red-necked Stint	U T IA	Restless Flycatcher	R
Crested Pigeon	U	Long-toed Stint	R IA	Magpie-lark	М
G		Sharp-tailed Sandpiper	U IA	3 1	
FROGMOUTH, NIGHTJAR		Curlew Sandpiper	U T IA	ROBIN, SCRUB-ROBIN	
Tawny Frogmouth	M			Scarlet Robin	С
Australian Owlet Nightjar	M	BUTTON-QUAIL		Western Yellow Robin	С
9 ,		Painted Button-quail	U	White-breasted Robin	С
SEABIRD					
Most likely in autumn, winte	er or in strong winds	TERN, GULL		OLD WORLD WARBLER	
, , , , , , , , , , , , , , , , , , , ,	3	Bridled Tern	U IA Breeds on islets	Australian Reed-Warbler	R
Wilson's Storm-Petrel	U IA Au, Sp	Caspian Tern	M IA	Little Grassbird	R
Indian Yellow-nosed Albatro	· •	Crested Tern	C	Rufous Songlark	U Mi <i>Irregular migrant</i>
Southern Giant-Petrel	U Wi	Pacific Gull	C	Brown Songlark	U Mi <i>Irregular migrant</i>
Most are juveniles or immai		Silver Gull	Ċ		- · · · · · · · · · · · · · · · · · · ·
Northern Giant-Petrel	U IA Wi		_	WHITE-EYE	
Cape Petrel	U IA Wi	COCKATOO, PARROT		Silvereye	C N
Great-winged Petrel	M	Red-tailed Black-Cockatoo	UT	Sirvereye	3 11
Passage migrants in Au	• •	Carnaby's Black-Cockatoo	U T	SWALLOW, MARTIN	
Flesh-footed Shearwater	C IA	Baudin's Black-Cockatoo	UT	Welcome Swallow	C Mi Sp-Su
Breeds on islands off Cape		Galah	M	Some present all vear	C 111 Sp Su
Wedge-tailed Shearwater	M IA	Little Corella	U	Tree Martin	C Mi Sp-Su
Overlaps with Flesh-footed		Purple-crowned Lorikeet	M N	Some present all year	5 . II OP 64
Hutton's Shearwater	R IA <i>Most likely</i> Wi-Sp	Regent Parrot	U	come present an year	
Little Shearwater	M	Western Rosella	C	FINCH	
Breeds off south & west co		Australian Ringneck	C	Red-eared Firetail	С
Soft-plumaged Petrel	M Wi	Red-capped Parrot	C	New-carea i iletaii	
White-headed Petrel	R IA	Elegant Parrot	M	PIPIT	
Sometimes visible from Caj		Liegant Fanot	1.1	Australasian Pipit	М
Great-winged Petrel	M IA <i>Most common</i> Wi-Sp.			/ datidiasian i ipit	
Cicat willigea Fetiel	11 II CHOSE COMMON WITSP.				